


## **SmartDisplayer T1XXX**OATH Token for OpenOTP







SmartDisplayer is committed to delivery of world class DisplayCard solutions.

T1XXX series are certified for use with RCDevs OpenOTP Authentication Server. Please find more information at <a href="http://www.rcdevs.com/products/openotp/">http://www.rcdevs.com/products/openotp/</a>

Technical Specification	
Security Algorithm	OATH Time-Based
Components	EMV Chip Card Built-in Button 6 Digits EPD Display
Standards	RoHS, FCC, CE
Operating Temp.	10°C~40°C
Size	85,6mm x 54mm x 0.8mm
Weight	5g
Internal Memory	Lithium Battery 3 Years Lifetime

OpenOTP Configurations	
Token Type	OATH TOTP (RFC 6238)
OATH Algorithm	HMAC-SHA1
Key Length	160 Bits
OTP Length	6 Digits
OTP Time Step	30 Secs

The RCDevs' OpenOTP Authentication Server addresses the authentication and access control of endusers to online services, VPNs, Web, Citrix, UNIX, Microsoft, etc... It is an all-in-one enterprise-grade solution which supports two-factor authentication with multiple authentication mechanisms including event-based, time-based and challenge-based OATH tokens, MobileOTP, Google Authenticator, out-of-band SMS/Email or Yubikey.

OpenOTP provides two-factor security with more flexibility, easy of installation/integration and a very cost-effective licensing. It has the highest level of functionality in the sector and is designed for performance, simplicity and scalability. It is fully compliant with regulatory requirements in the government, industry, healthcare and financial sectors (PCI DSS, HIPAA, etc...).

The RCDevs' licensing model provides lower TCO with all-inclusive per-user licenses. The whole authentication solution is completely free of charge for trials and for usage with up to 40 activated users.